

COMPAGNIE TUNISIENNE DE FORAGE

19 RUE DE L'ARTISANAT CHARGUIA II – 2035 L'AEROPORT-ARIANA TUNISIA

FAX N°(216-70) 836 568/837 041 PHONE N°(216-70) 837 322

FAX MESSAGE

FROM : C.T.F

FAX REF:

DATE : 07-08-2023

CONTACT NAME :

Page (01) of (05) including this page

TO :

ATT: : RENTAL MANAGER

FAX N° : E-mail

Y/REF :

COPY :

SUBJECT : PP 23- 479: SUPPLY ON RENTAL BASIS FOR THE FOLLOWING LOTS OF WELL CONTROL EQUIPMENT:

Lot 1: 2 Annular BOP 21"1/4 x 2000psi

Lot 2: BOP Double Rams 21"1/4 x 2000 psi

Lot 3: BOP Double Rams 13"5/8 x 10000 psi

Lot 4: Annular BOP 13"5/8x 5000psi

*Compagnie Tunisian de Forage, (CTF) is now seeking competitive bids for the **supply on Rental Basis of 4 lots of well control equipment.***

To this purpose you are hereby invited to submit your best prices and delivery in full compliance with the following terms and conditions.

A - SCOPE OF WORK :

*Supply on rental basis of the following well control equipment to meet the minimum technical requirements detailed in **Attachment A**.*

B – Estimated rental period:

For Lot 1, 2 : 20 days about + transit time (Rental start date: the first week of September 2023)

For Lot 3: 50 days activity+20 days standby about

For Lot 4: 70 days activity+20 days transit time

Note:

Stand by rate "50%" will be applied at time of transport and each time of Rig moving "15 days about".

C – DELIVERY REQUIREMENT

The delivery shall not exceed 7days from date of signature of PO, evidenced by date of "CMR" if transport is arranged by the bidder.

D - ACKNOWLEDGEMENT:

You are kindly requested to acknowledge receipt of this inquiry by return fax.

E - BID CLOSING DATE:

*Bids must be sent no later than **August 14th, 2023 at 10h00 a.m (Tunisian local time)**. as per bid submission instructions here in after.*

F - FORM OF BIDS:

*Bids shall be in the form of proforma invoices as per the formats shown under **Attachment B** and shall include all requested details.*

G – VALIDITY:

Bids shall be valid for a period of at least 90 days from bid closing date.

H/ BID SUBMISSION PROCEDURE:

Bids shall be submitted by e-mail to: Closed.bids@ctf.com.tn as per the pro forma provided under

I - CONTACTS:

Any further information or clarification required during the bidding period to aid bidder in the preparation of his bid shall be requested in writing by fax addressed to:

**COMPAGNIE TUNISIENNE DE FORAGE
FAX N° (216-70) 837 041 – 836 568
ATT: TENDER BOARD**

J - SPECIAL NOTES:

- The financial offers for each lot and after the correction of possible errors of calculation, will be classed from the lowest bidder to the highest bidder and CTF will select the best discounted offers which meet CTF technical (Based on provided of the requested technical documentation in Attachment A for each lot).*

BEST REGARDS,

C.T.F.

P/PROCUREMENT & MARKETING DEPARTMENT

ATTACHMENT A

MINIMUM TECHNICAL SPECIFICATIONS

LOT 1 : 2 Annular BOP 21"1/4 x 2000 Psi

- * Bore size : 21"1/4
- * Pressure rating : 2000 Psi
- * H2S Trim (Nace MR0175)
- * Top connection and Ring groove : API 21"1/4 x 2000 PSI (R73)
- * Bottom connection and Ring groove : API 21"1/4 x 2000 PSI (R73) flanged.
- * Complete with new rubber unit installed
- * Required documentations :
 - 5 years inspection certificate as per API 16A or API 16AR valid for minimum two years
 - Certificate of Compliance for:
 - > BOP
 - > Packing element
 - Pressure tests with chart witnessed by third party for :
 - > The BOP at both low and high pressure
 - > Hydraulic chambers (open and close)
 - The dates of the pressure tests should not be older than one month ago
 - User's manual + dimensional data

Lot 2 : BOP Double Rams 21"1/4 x 2000 Psi ou 20"3/4 x 3000 Psi

- * Bore size : 21"1/4 or 20"3/4
- * Pressure rating : 2000 Psi or 3000 PSI
- * Manual-Lock Operated
- * FLANGED ON THE TOP (Mandatory for BOP 20"3/4 x 3000 Psi)
- * FLANGED ON THE BOTTOM (Mandatory for BOP 20"3/4 x 3000 Psi)
- * with 04 outlets plugged : Two 2"1/16 x 10000 Psi and two 4"1/16 x 10000 Psi
- * c/w a lot of Rams :
 - One set 5" Pipe Rams
 - One set Blind Rams
 - One set 13"3/8 CSG Rams
- * Internal H2S Trim, manual lock cylinder
- * Standard Ring groove Stainless Steel Inlay
- * Required documentations :
 - COC of the BOP
 - 5 years inspection certificate of the BOP as per API 16A or API 16AR valid for minimum two years
 - COC and 5 years inspection certificate of All the Rams
 - Pressure tests with chart witnessed by third party for :
 - > The BOP at both low and high pressure
 - > Hydraulic chambers (open and close)
 - The dates of the pressure tests should not be older than one month ago
 - User's manual + dimensional data

LOT3: BOP Double Rams 13"5/8 x 10000 Psi

- * Bore size : 13"5/8
- * Pressure rating : 10000 Psi
- * Manual-Lock Operated
- * Flanged or Studded on the Top
- * FLANGED ON THE BOTTOM (Mandatory)
- * with 04 outlets plugged : Two 2"1/16 x 10000 Psi and two 4"1/16 x 10000 Psi
- * c/w OEM blind/shear rams able to shear DP 5" Grade G-105 and S-135
- * Internal H2S Trim, manual lock cylinder

- * Standard Ring groove Stainless Steel Inlay
- * Booster (IF NECESSARY)
- * c/w a lot of Rams :
 - One set 5" Pipe Rams
 - One set 3"1/2 Pipe Rams
 - One set Variable Rams 2"7/8 - 5"
 - One set 9"5/8 CSG Rams
 - One set 7" CSG Rams
- * Required documentations :
 - COC of the BOP
 - 5 years inspection certificate of the BOP as per API 16A or API 16AR valid for minimum two years
 - COC and 5 years inspection certificate of each set of Rams
 - Shearing capability certificate for DP 5" S135 and G105
 - Pressure tests with chart witnessed by third party for :
 - > The BOP at both low and high pressure
 - > Hydraulic chambers (open and close)
 - The dates of the pressure tests should not be older than one month ago
 - User's manual + dimensional data

LOT 4 :Annular BOP 13"5/8 x 5M or 10M

- *Bore Size : 13"5/8
- *Pressure Rating:10000 OR 5000 Psi
- *Trim H2S (Nace MR-01-75)
- *Top Connection and Ring Groove API 13 5/8" x 5M OR 10M STUDDERED
- *Bottom Connection and Ring Groove API 13 5/8" x 5M or 10M (BX159) FLANGED
- *Standard Ring Grooves Stainless Steel Inlay
- *Spare a new packing element.
- * Required documentations :
 - *COC of the Annular BOP
 - *Valid 5 yearly recertification for minimum one year
 - *COC of the packing element
 - *NDT inspection of the lifting Padayes.
 - *Pressure test shall be done with chart at RWP

ATTACHMENT B

Financial OFFER

PRO-FORMA INVOICE FORMAT USING YOUR COMPANY LETTER HEAD

FROM :
BIDDER'S FULL NAME:
ADDRESS:
TELEPHONE N° :
FAX N°:
CONTACT NAME:

TO:
COMPAGNIE TUNISIENNE
DE FORAGE
19 RUE DE L'ARTISANAT 2035
CHARGUIA II ARIANA – L'AEROPROT
TUNIS - TUNISIA

PRO-FORMA INVOICE N° :

DATE :

Lot	Qty	DESCRIPTION	Operating Price /day		Stand By Price /day	
			withholding TAX		withholding TAX	
			Excluding	Including 15%	Excluding	Including 15%
01	2	Annular BOP 21"1/4 x 2000psi				
02	1	BOP Double Rams 21"1/4 x 2000 Psi ou 20"3/4 x 3000 Psi				
03	1	BOP Double Rams 13"5/8 x 10000 psi				
04	1	Annular BOP 13"5/8x 5000psi				

Price details of spare parts for each lot:

Transport of these equipment "for each lot" from your yard to TUNISIA (if possible):

Post rental inspection for each lot:

Payment terms: Net 30 days

Note:

At the moment of evaluation the withholding TAX rate will be fixed basis on the convention between Tunisia and the country that your company belongs and where your bank account opened also.

AUTHORIZED SIGNATURE

NAME :

SIGNATURE :

TITLE :

DATE :

COMPANY-STAMP