

COMPAGNIE TUNISIENNE DE FORAGE

19 RUE DE L'ARTISANAT CHARGUIA II – 2035 L'AEROPORT-ARIANA TUNISIA

FAX N°(216-70) 836 568/837 041 PHONE N°(216-70) 837 322

FAX MESSAGE

FROM : C.T.F

FAX REF:

DATE :12.08.2022

CONTACT NAME :

Page (01) of (05) including this page

TO :

ATT: : RENTAL MANAGER

FAX N° : E-mail

Y/REF :

COPY :

SUBJECT : PP 22- 463: SUPPLY ON RENTAL BASIS FOR THE FOLLOWING LOTS OF WELL

CONTROL EQUIPMENT:

Lot 1:-BOP SINGLE RAMS 13”5/8 5K or 10K

Lot 2: - BOP Double RAMS 13”5/8 5K or 10K

Lot 3: - ANNULAR BOP 21”5/8 x 2K

*Compagnie Tunisienne de Forage, (CTF) is now seeking competitive bids for the **supply on Rental Basis of 3 lots of well control equipment.***

To this purpose you are hereby invited to submit your best prices and delivery in full compliance with the following terms and conditions.

A - SCOPE OF WORK :

*Supply on rental basis of the following well control equipment to meet the minimum technical requirements detailed in **Attachment A.***

B – Estimated rental period:

Lot 1, 2 : 60 days activity about+ transit time (Rental start date: At the end of August 2022)

Lot 3 : 60 days activity about+80 days standby+transit time (rental start date : the end of September 2022)

C – DELIVERY REQUIREMENT

The delivery shall not exceed 10 days from date of signature of PO, evidenced by date of “CMR” if transport is arranged by the bidder or CTF.

D - ACKNOWLEDGEMENT:

You are kindly requested to acknowledge receipt of this inquiry by return fax.

E - BID CLOSING DATE:

Bids must be sent no later than August 29, 2022 as per bid submission instructions here in after.

F - FORM OF BIDS:

*Bids shall be in the form of proforma invoices as per the formats shown under **Attachment B** and shall include all requested details.*

G – VALIDITY:

Bids shall be valid for a period of at least 90 days from bid closing date.

H/ BID SUBMISSION PROCEDURE:

Bids shall be submitted by e-mail to: Closed.bids@ctf.com.tn as per the pro forma provided under

I - CONTACTS:

Any further information or clarification required during the bidding period to aid bidder in the preparation of his bid shall be requested in writing by fax addressed to:

COMPAGNIE TUNISIENNE DE FORAGE

FAX N° (216-70) 837 041 – 836 568

ATT: TENDER BOARD

J - SPECIAL NOTES:

- The financial offers for each lot and after the correction of possible errors of calculation, will be classed from the lowest bidder to the highest bidder and CTF will select the best discounted offers which meet CTF technical (Based on provided of the requested technical documentation in Attachment A for each lot).
- For LOT 1, 2, 3 : these equipment must be available in Tunisia in September 2022. (equipment well inspected).

BEST REGARDS,

C.T.F.

PROCUREMENT & MARKETING DEPARTMENT

ATTACHMENT A

MINIMUM TECHNICAL SPECIFICATIONS REQUIREMENTS OF THE EQUIPMENT

<i>Lot</i>	<i>Qty</i>	<i>Description</i>
1	01	<p>Single ram BOP 13"5/8 5000 PSI or 10000 PSI Spécifications techniques Bore size: 13"5/8 Pressure rating: 5000 PSI or 10000 PSI H2S Trim (Nace MR0175) Top connection and Ring groove API 13"5/8 flanged (5000 PSI or 10000 PSI) Bottom connection and Ring groove API 13"5/8 flanged (5000 PSI or 10000 PSI) all outlets must be plugged. Complete with :</p> <ul style="list-style-type: none"> • 3"1/2 pipe rams • 4"1/2 pipe rams • 7" pipe rams • 5" pipe rams • 7"5/8 pipe rams <p>A set of rubbers must be provided for each ram size for eventual use (only utilized rubbers will be charged) Required documentation : - Certificate of conformance of the BOP, rams, blind flanges and adapters if used, valid for minimum two more years. CoC of BOP and rams must be according to API 16A if the age of equipment is less than 3 years or API 16AR if re-certified equipment - Pressure tests with chart witnessed by third party for : * BOP at both low and high pressure * Hydraulic chambers (open and close) The dates of the pressure tests should not be older than 1 month ago from shipping date - User manual +dimensional data</p>

2	01	<p>01 Double rams BOP 13"5/8 5000 PSI ou 10000 PSI Spécifications techniques Bore size: 13"5/8 Pressure rating: 5000 PSI or 10000 PSI H2S Trim (Nace MR0175) Top connection and Ring groove API 13"5/8 flanged (5000 PSI or 10000 PSI) Bottom connection and Ring groove API 13"5/8 flanged (5000 PSI or 10000 PSI) all outlets must be plugged. Complete with :</p> <ul style="list-style-type: none"> • 3"1/2 pipe rams • 4"1/2 pipe rams • 7" pipe rams • blind shear rams • Variable rams 2"7/8-5" or 3"1/2-5"1/2 • 7"5/8 pipe rams • 5" pipe rams <p>NB: the rental of pipe rams will be optional and could be limited to well defined sizes A set of rubbers must be provided for each ram size for eventual use (only utilized rubbers will be charged) Required documentation :</p> <ul style="list-style-type: none"> - Certificate of conformance of the BOP, rams, blind flanges and adapters if used, valid for minimum two more years. CoC of BOP and rams must be according to API 16A if the age of equipment is less than 3 years or API 16AR if re-certified equipment - Pressure tests with chart witnessed by third party for : <ul style="list-style-type: none"> * BOP lower and higher cavities at both low and high pressure * Hydraulic chambers (open and close) <p>The dates of the pressure tests should not be older than 1 month ago from shipping date</p> <ul style="list-style-type: none"> - User manual +dimensional data - Shearing calculation for 3"1/2 DP #13.3 G105
3	01	<p>Annular BOP 21"1/4 x 2K</p> <ul style="list-style-type: none"> • Equipment: <ul style="list-style-type: none"> o Bottom Flanged connection 21"1/4 x 2 KPSI o Internal H2S Trim, o Packing element Nitrile o Standard Ring groove Stainless Steel Inlay o With the necessary BOP critical Spare parts (only utilized spare parts will be charged) • Documents demandés: <ul style="list-style-type: none"> o COC of the BOP (according to API 16A and NACE MR0175) o Valid 5 years inspection certificate (from the manufacturer or from its authorized repair facility or from a Workshop having API MONOGRAM 16 A for the manufacture of Annular BOPs & the recertification according to API 16AR) o COC of the packing element (according to API 16A) o List of critical spare parts o Pressure test certificate with chart performed 01 month ago from shipping

ATTACHMENT B

Financial OFFER

PRO-FORMA INVOICE FORMAT USING YOUR COMPANY LETTER HEAD

FROM :
BIDDER'S FULL NAME:
ADDRESS:
TELEPHONE N° :
FAX N°:
CONTACT NAME:

TO:
COMPAGNIE TUNISIENNE
DE FORAGE
19 RUE DE L'ARTISANAT 2035
CHARGUIA II ARIANA – L'AEROPROT
TUNIS - TUNISIA

PRO-FORMA INVOICE N° :

DATE :

<i>Lot</i>	<i>Qty</i>	<i>DESCRIPTION</i>	<i>Operating Price /day</i>	<i>Stand By Price /day</i>
01	01	BOP SINGLE RAM 13"5/8 5K or 10K		
02	01	DOUBLE RAM BOP 13"5/8 5K or 10K		
03	01	Annular BOP 21"1/4 x 2K		

Sales items for each lot:

Transport of these equipment "for each lot" from your yard to TUNISIA (if possible):.....

Payment terms: Net 30 days

AUTHORIZED SIGNATURE

NAME :

SIGNATURE :

TITLE :

DATE :

COMPANY-STAMP